Special Chemistry										
Procedure	Component Name	Abbrev	Sex	Age From	Age To	Result Checking Type	Low	High	Numeric Range	Units
.DRVVT CONFIRM LAB-ONLY ORDERABLE [LAB319]	**DRVVT CONFIRM RATIO**	dRVVTConMR	~	~ ~	~ ~	Reference Range		1.12	<=1.12	
.DRVVT CONFIRM LAB-ONLY ORDERABLE [LAB319]	**DRVVT SCREEN/CONFIRM RATIO**	dRVVTScrCR	~	~ ~	~ ~	Reference Range		1.24	<=1.24	
.DRVVT CONFIRM MIX LAB-ONLY ORDERABLE [LAB10850]	**DRVVT CONFIRM MIX**	dRVVTConM	~	~ ~	~ ~	Reference Range	30.5	34.3	30.5-34.3	second(s)
.DRVVT CONFIRM MIX LAB-ONLY ORDERABLE [LAB10850]	**DRVVT CONFIRM MIX RATIO**	dRVVTConR	~	~ ~	~ ~	Reference Range		1.06	<=1.06	
.DRVVT SCREEN MIX LAB-ONLY ORDERABLE [LAB10851]	**DRVVT SCREEN MIX**	dRVVTScrMR	~	~ ~	~ ~	Reference Range	34.1	42.5	34.1-42.5	second(s)
.DRVVT SCREEN MIX LAB-ONLY ORDERABLE [LAB10851]	**DRVVT SCREEN MIX RATIO**	dRVVTScrMR	~	~ ~	~ ~	Reference Range		1.13	<=1.13	
.SCT CONFIRM LAB-ONLY ORDERABLE [LAB10862]	**SILICA CLOTTING TIME CONFIRM**	SCT Conf	~	~ ~	~ ~	Reference Range	32.1	50.7	32.1-50.7	second(s)
.SCT CONFIRM LAB-ONLY ORDERABLE [LAB10862]	**SILICA CLOTTING TIME CONFIRM RATIO**	SCT ConfR	~	~ ~	~ ~	Reference Range		1.39	<=1.39	
.SCT CONFIRM LAB-ONLY ORDERABLE [LAB10862]	**SCT SCREEN/CONFIRM RATIO**	SCT Ratio	~	~ ~	~ ~	Reference Range		1.31	<=1.31	
.SCT CONFIRM MIX LAB-ONLY ORDERABLE [LAB10863]	**SILICA CLOTTING TIME CONFIRM MIX**	SCT ConfM	~	~ ~	~ ~	Reference Range	33.7	45.0	33.7-45.0	second(s)
.SCT CONFIRM MIX LAB-ONLY ORDERABLE [LAB10863]	**SILICA CLOTTING TIME CONFIRM MIX RATIO**	SCT ConfMR	~	~ ~	~ ~	Reference Range		1.18	<=1.18	
.SCT SCREEN MIX LAB-ONLY ORDERABLE [LAB10864]	**SILICA CLOTTING TIME SCREEN MIX**	SCT ScrM	~	~ ~	~ ~	Reference Range	35.2	47.6	35.2-47.6	second(s)
.SCT SCREEN MIX LAB-ONLY ORDERABLE [LAB10864]	**SILICA CLOTTING TIME SCREEN MIX RATIO**	SCT ScrMR	~	~ ~	~ ~	Reference Range		1.17	<=1.17	
ANTICARDIOLIPIN IGG+ IGM [LAB1735]	**ANTI-CARDIOLIPIN ANTIBODY IGG**	ACA IgG	~	~ ~	~ ~	Reference Range		20.0	<=20.0	CU
ANTICARDIOLIPIN IGG+ IGM [LAB1735]	**ANTI-CARDIOLIPIN ANTIBODY IGG**	ACA IgG	~	~ ~	~ ~	Valid Checking	2.6	2024.0	2.6-2024.0	CU
ANTICARDIOLIPIN IGG+ IGM [LAB1735]	**ANTI-CARDIOLIPIN ANTIBODY IGM**	ACA IgM	~	~ ~	~ ~	Reference Range		20.0	<=20.0	CU
ANTICARDIOLIPIN IGG+ IGM [LAB1735]	**ANTI-CARDIOLIPIN ANTIBODY IGM**	ACA IgM	~	~ ~	~ ~	Valid Checking	1.0	774.0	1.0-774.0	CU
ANTIPHOSPHATIDYLSERINE ANTIBODY IGG + IGM [LAB10842]	**ANTI-PHOSPHATIDYLSERINE ANTIBODY IGG**	APS IgG	~	~ ~	~ ~	Reference Range		15.9	<=15.9	GPS
ANTIPHOSPHATIDYLSERINE ANTIBODY IGG + IGM [LAB10842]	**ANTI-PHOSPHATIDYLSERINE ANTIBODY IGG**	APS IgG	~	~ ~	~ ~	Valid Checking		100.0	<=100.0	GPS
ANTIPHOSPHATIDYLSERINE ANTIBODY IGG + IGM [LAB10842]	**ANTIPHOSPHATIDYLSERINE ANTIBODY IGM**	APS IgM	~	~ ~	~ ~	Reference Range		21.9	<=21.9	MPS
ANTIPHOSPHATIDYLSERINE ANTIBODY IGG + IGM [LAB10842]	**ANTIPHOSPHATIDYLSERINE ANTIBODY IGM**	APS IgM	~	~ ~	~ ~	Valid Checking		80.0	<=80.0	MPS
ANTIPROTHROMBIN ANTIBODY IGG [LAB10843]	**ANTI-PROTHROMBIN ANTIBODY IGG**	APT IgG	~	~ ~	~ ~	Reference Range		19.9	<=19.9	G unit
ANTIPROTHROMBIN ANTIBODY IGG [LAB10843]	**ANTI-PROTHROMBIN ANTIBODY IGG**	APT IgG	~	~ ~	~ ~	Valid Checking		80.0	<=80.0	G unit
APIXABAN (ELIQUIS) LEVEL [LAB10844]	**APIXABAN LEVEL**	Apixaban	~	~ ~	~ ~	Valid Checking	13	600	13-600	ng/mL
ASPIRIN WORKS [LAB10845]	**ASPIRIN WORKS 11-DEHYDROTHROMBOXANE**	ASPWRKS	~	~ ~	~ ~	Valid Checking	300.00	4000.00	300.00-4000.00	pg/mg
ASPIRIN WORKS [LAB10845]	**CREATININE URINE RANDOM**	Creat Rand	~	~ ~	~ ~	Valid Checking	13.00	135000.00	13.00-135000.00	mg/dL
ASPIRIN WORKS [LAB10845]	**CREATININE URINE RANDOM**	Creat Rand	~	~ ~	~ ~	Valid Checking	1.00	900.00	1.00-900.00	mg/dL
BETA 2 GLYCOPROTEIN 1 ANTIBODY IGG + IGM [LAB1179]	**ANTI-B2GLYCOPROTEIN1 ANTIBODY IGG**	B2GP1 IgG	~	~ ~	~ ~	Reference Range		20.0	<=20.0	CU
BETA 2 GLYCOPROTEIN 1 ANTIBODY IGG + IGM [LAB1179]	**ANTI-B2GLYCOPROTEIN1 ANTIBODY IGG**	B2GP1 IgG	~	~ ~	~ ~	Valid Checking	6.4	6100.0	6.4-6100.0	CU
BETA 2 GLYCOPROTEIN 1 ANTIBODY IGG + IGM [LAB1179]	**ANTI-B2GLYCOPROTEIN1 ANTIBODY IGM**	B2GP1 IgM	~	~ ~	~ ~	Reference Range		20.0	<=20.0	CU
BETA 2 GLYCOPROTEIN 1 ANTIBODY IGG + IGM [LAB1179]	**ANTI-B2GLYCOPROTEIN1 ANTIBODY IGM**	B2GP1 IgM	~	~ ~	~ ~	Valid Checking	1.1	841.0	1.1-841.0	CU
BETHESDA INHIBITOR HUMAN [LAB1116]	**BETHESDA INHIBITOR HUMAN**	Bethesda	~	~ ~	~ ~	Reference Range		0.4	<0.4	BU/mL
BETHESDA INHIBITOR HUMAN [LAB1116]	**BETHESDA INHIBITOR HUMAN**	Bethesda	~	~ ~	~ ~	Valid Checking	0.0	9999.0	0.0-9999.0	BU/mL
BETHESDA INHIBITOR HUMAN [LAB1116]	**BETHESDA INHIBITOR HUMAN**	Bethesda	~	~ ~	~ ~	Abnormality - Critical		0.9	>0.9	BU/mL
BETHESDA INHIBITOR+FACTOR VIII LEVEL [LAB10846]	**BETHESDA INHIBITOR HUMAN**	Bethesda	~	~ ~	~ ~	Reference Range		0.4	<0.4	BU/mL
BETHESDA INHIBITOR+FACTOR VIII LEVEL [LAB10846]	**BETHESDA INHIBITOR HUMAN**	Bethesda	~	~ ~	~ ~	Valid Checking	0.0	9999.0	0.0-9999.0	BU/mL
BETHESDA INHIBITOR+FACTOR VIII LEVEL [LAB10846]	**BETHESDA INHIBITOR HUMAN**	Bethesda	~	~ ~	~ ~	Abnormality - Critical		0.9	>0.9	BU/mL
BETHESDA INHIBITOR+FACTOR VIII LEVEL [LAB10846]	**FACTOR VIII ASSAY**	FactorVIII	~	0	1 Months	Reference Range	83.0	274.0	83.0-274.0	%
BETHESDA INHIBITOR+FACTOR VIII LEVEL [LAB10846]	**FACTOR VIII ASSAY**	FactorVIII	~	0	1 Months	Valid Checking	0.3	600.0	0.3-600.0	%
BETHESDA INHIBITOR+FACTOR VIII LEVEL [LAB10846]	**FACTOR VIII ASSAY**	FactorVIII	~	1 Months	1 Years	Reference Range	54.0	145.0	54.0-145.0	%
BETHESDA INHIBITOR+FACTOR VIII LEVEL [LAB10846]	**FACTOR VIII ASSAY**	FactorVIII	~	1 Months	1 Years	Valid Checking	0.3	600.0	0.3-600.0	%
BETHESDA INHIBITOR+FACTOR VIII LEVEL [LAB10846]	**FACTOR VIII ASSAY**	FactorVIII	~	1 Years	6 Years	Reference Range	36.0	185.0	36.0-185.0	%
BETHESDA INHIBITOR+FACTOR VIII LEVEL [LAB10846]	**FACTOR VIII ASSAY**	FactorVIII	~	1 Years	6 Years	Valid Checking	0.3	600.0	0.3-600.0	%
BETHESDA INHIBITOR+FACTOR VIII LEVEL [LAB10846]	**FACTOR VIII ASSAY**	FactorVIII	~	6 Years	11 Years	Reference Range	52.0	182.0	52.0-182.0	%
BETHESDA INHIBITOR+FACTOR VIII LEVEL [LAB10846]	**FACTOR VIII ASSAY**	FactorVIII	~	6 Years	11 Years	Valid Checking	0.3	600.0	0.3-600.0	%
BETHESDA INHIBITOR+FACTOR VIII LEVEL [LAB10846]	**FACTOR VIII ASSAY**	FactorVIII	~	11 Years	16 Years	Reference Range	59.0	200.0	59.0-200.0	%
BETHESDA INHIBITOR+FACTOR VIII LEVEL [LAB10846]	**FACTOR VIII ASSAY**	FactorVIII	~	11 Years	16 Years	Valid Checking	0.3	600.0	0.3-600.0	%
BETHESDA INHIBITOR+FACTOR VIII LEVEL [LAB10846]	**FACTOR VIII ASSAY**	FactorVIII	~	16 Years	150 Years	Reference Range	50.0	185.0	50.0-185.0	%
BETHESDA INHIBITOR+FACTOR VIII LEVEL [LAB10846]	**FACTOR VIII ASSAY**	FactorVIII	~	16 Years	150 Years	Valid Checking	0.3	600.0	0.3-600.0	%
CHROMOGENIC FACTOR IX LEVEL [LAB10847]	**CHROMOGENIC FIX LEVEL**	Chrm FIX	~	~ ~	~ ~	Reference Range	60.0	130.0	60.0-130.0	%
CHROMOGENIC FACTOR IX LEVEL [LAB10847]	**CHROMOGENIC FIX LEVEL**	Chrm FIX	~	~ ~	~ ~	Valid Checking	1.0	200.0	1.0-200.0	%
CHROMOGENIC FACTOR VIII LEVEL [LAB10848]	**CHROMOGENIC FACTOR VIII LEVEL**	Chrm FVIII	~	~ ~	~ ~	Reference Range	49.0	126.0	49.0-126.0	%
CHROMOGENIC FACTOR VIII LEVEL [LAB10848]	**CHROMOGENIC FACTOR VIII LEVEL**	Chrm FVIII	~	~ ~	~ ~	Valid Checking	1.0	200.0	1.0-200.0	%
DABIGATRAN LEVEL [LAB2309]	**DABIGATRAN LEVEL**	Dabig	~	~ ~	~ ~	Valid Checking	30	400	30-400	ng/mL
EXTENDED ANTIPHOSPHOLIPID PROFILE [LAB10852]	**ANTI-CARDIOLIPIN ANTIBODY IGG**	ACA IgG	~	~ ~	~ ~	Reference Range		20.0	<=20.0	CU
EXTENDED ANTIPHOSPHOLIPID PROFILE [LAB10852]	**ANTI-CARDIOLIPIN ANTIBODY IGG**	ACA IgG	~	~ ~	~ ~	Valid Checking	2.6	2024.0	2.6-2024.0	CU
EXTENDED ANTIPHOSPHOLIPID PROFILE [LAB10852]	**ANTI-CARDIOLIPIN ANTIBODY IGM**	ACA IgM	~	~ ~	~ ~	Reference Range		20.0	<=20.0	CU
EXTENDED ANTIPHOSPHOLIPID PROFILE [LAB10852]	**ANTI-CARDIOLIPIN ANTIBODY IGM**	ACA IgM	~	~ ~	~ ~	Valid Checking	1.0	774.0	1.0-774.0	CU
EXTENDED ANTIPHOSPHOLIPID PROFILE [LAB10852]	**ANTI-B2GLYCOPROTEIN1 ANTIBODY IGG**	B2GP1 IgG	~	~ ~	~ ~	Reference Range		20.0	<=20.0	CU
EXTENDED ANTIPHOSPHOLIPID PROFILE [LAB10852]	**ANTI-B2GLYCOPROTEIN1 ANTIBODY IGG**	B2GP1 IgG	~	~ ~	~ ~	Valid Checking	6.4	6100.0	6.4-6100.0	CU
EXTENDED ANTIPHOSPHOLIPID PROFILE [LAB10852]	**ANTI-B2GLYCOPROTEIN1 ANTIBODY IGM**	B2GP1 IgM	~	~ ~	~ ~	Reference Range		20.0	<=20.0	CU
EXTENDED ANTIPHOSPHOLIPID PROFILE [LAB10852]	**ANTI-B2GLYCOPROTEIN1 ANTIBODY IGM**	B2GP1 IgM	~	~ ~	~ ~	Valid Checking	1.1	841.0	1.1-841.0	CU
EXTENDED ANTIPHOSPHOLIPID PROFILE [LAB10852]	**ANTI-PHOSPHATIDYLSERINE ANTIBODY IGG**	APS IgG	~	~ ~	~ ~	Reference Range		15.9	<=15.9	GPS
EXTENDED ANTIPHOSPHOLIPID PROFILE [LAB10852]	**ANTI-PHOSPHATIDYLSERINE ANTIBODY IGG**	APS IgG	~	~ ~	~ ~	Valid Checking		100.0	<=100.0	GPS
EXTENDED ANTIPHOSPHOLIPID PROFILE [LAB10852]	**ANTIPHOSPHATIDYLSERINE ANTIBODY IGM**	APS IgM	~	~ ~	~ ~	Reference Range		21.9	<=21.9	MPS
EXTENDED ANTIPHOSPHOLIPID PROFILE [LAB10852]	**ANTIPHOSPHATIDYLSERINE ANTIBODY IGM**	APS IgM	~	~ ~	~ ~	Valid Checking		80.0	<=80.0	MPS
EXTENDED ANTIPHOSPHOLIPID PROFILE [LAB10852]	**ANTI-PROTHROMBIN ANTIBODY IGG**	APT IgG	~	~ ~	~ ~	Reference Range		19.9	<=19.9	G unit
EXTENDED ANTIPHOSPHOLIPID PROFILE [LAB10852]	**ANTI-PROTHROMBIN ANTIBODY IGG**	APT IgG	~	~ ~	~ ~	Valid Checking		80.0	<=80.0	G unit
FACTOR 2 (II) LEVEL [LAB303]	**FACTOR II ASSAY**	Factor II	~	0	1 Months	Reference Range	50	73	50-73	%

Special Chemistry										
Procedure	Component Name	Abbrev	Sex	Age From	Age To	Result Checking Type	Low	High	Numeric Range	Units
FACTOR 2 (II) LEVEL [LAB303]	**FACTOR II ASSAY**	Factor II	~	0	1 Months	Valid Checking	2	600	2-600	%
FACTOR 2 (II) LEVEL [LAB303]	**FACTOR II ASSAY**	Factor II	~	1 Months	1 Years	Reference Range	62	103	62-103	%
FACTOR 2 (II) LEVEL [LAB303]	**FACTOR II ASSAY**	Factor II	~	1 Months	1 Years	Valid Checking	2	600	2-600	%
FACTOR 2 (II) LEVEL [LAB303]	**FACTOR II ASSAY**	Factor II	~	1 Years	6 Years	Reference Range	70	109	70-109	%
FACTOR 2 (II) LEVEL [LAB303]	**FACTOR II ASSAY**	Factor II	~	1 Years	6 Years	Valid Checking	2	600	2-600	%
FACTOR 2 (II) LEVEL [LAB303]	**FACTOR II ASSAY**	Factor II	~	6 Years	11 Years	Reference Range	67	110	67-110	%
FACTOR 2 (II) LEVEL [LAB303]	**FACTOR II ASSAY**	Factor II	~	6 Years	11 Years	Valid Checking	2	600	2-600	%
FACTOR 2 (II) LEVEL [LAB303]	**FACTOR II ASSAY**	Factor II	~	11 Years	16 Years	Reference Range	61	107	61-107	%
FACTOR 2 (II) LEVEL [LAB303]	**FACTOR II ASSAY**	Factor II	~	11 Years	16 Years	Valid Checking	2	600	2-600	%
FACTOR 2 (II) LEVEL [LAB303]	**FACTOR II ASSAY**	Factor II	~	16 Years	150 Years	Reference Range	79	131	79-131	%
FACTOR 2 (II) LEVEL [LAB303]	**FACTOR II ASSAY**	Factor II	~	16 Years	150 Years	Valid Checking	2	600	2-600	%
FACTOR IX (9) LEVEL [LAB308]	**FACTOR IX ASSAY**	Factor IX	~	0	1 Months	Reference Range	44.0	97.0	44.0-97.0	%
FACTOR IX (9) LEVEL [LAB308]	**FACTOR IX ASSAY**	Factor IX	~	0	1 Months	Valid Checking	0.3	600.0	0.3-600.0	%
FACTOR IX (9) LEVEL [LAB308]	**FACTOR IX ASSAY**	Factor IX	~	1 Months	1 Years	Reference Range	43.0	121.0	43.0-121.0	%
FACTOR IX (9) LEVEL [LAB308]	**FACTOR IX ASSAY**	Factor IX	~	1 Months	1 Years	Valid Checking	0.3	600.0	0.3-600.0	%
FACTOR IX (9) LEVEL [LAB308]	**FACTOR IX ASSAY**	Factor IX	~	1 Years	6 Years	Reference Range	44.0	127.0	44.0-127.0	%
FACTOR IX (9) LEVEL [LAB308]	**FACTOR IX ASSAY**	Factor IX	~	1 Years	6 Years	Valid Checking	0.3	600.0	0.3-600.0	%
FACTOR IX (9) LEVEL [LAB308]	**FACTOR IX ASSAY**	Factor IX	~	6 Years	11 Years	Reference Range	48.0	145.0	48.0-145.0	%
FACTOR IX (9) LEVEL [LAB308]	**FACTOR IX ASSAY**	Factor IX	~	6 Years	11 Years	Valid Checking	0.3	600.0	0.3-600.0	%
FACTOR IX (9) LEVEL [LAB308]	**FACTOR IX ASSAY**	Factor IX	~	11 Years	16 Years	Reference Range	64.0	216.0	64.0-216.0	%
FACTOR IX (9) LEVEL [LAB308]	**FACTOR IX ASSAY**	Factor IX	~	11 Years	16 Years	Valid Checking	0.3	600.0	0.3-600.0	%
FACTOR IX (9) LEVEL [LAB308]	**FACTOR IX ASSAY**	Factor IX	~	16 Years	150 Years	Reference Range	65.0	150.0	65.0-150.0	%
FACTOR IX (9) LEVEL [LAB308]	**FACTOR IX ASSAY**	Factor IX	~	16 Years	150 Years	Valid Checking	0.3	600.0	0.3-600.0	%
FACTOR V (5) LEVEL [LAB304]	**FACTOR V ASSAY**	Factor V	~	0	1 Months	Reference Range	92	154	92-154	%
FACTOR V (5) LEVEL [LAB304]	**FACTOR V ASSAY**	Factor V	~	0	1 Months	Valid Checking	2	600	2-600	%
FACTOR V (5) LEVEL [LAB304]	**FACTOR V ASSAY**	Factor V	~	1 Months	1 Years	Reference Range	94	141	94-141	%
FACTOR V (5) LEVEL [LAB304]	**FACTOR V ASSAY**	Factor V	~	1 Months	1 Years	Valid Checking	2	600	2-600	%
FACTOR V (5) LEVEL [LAB304]	**FACTOR V ASSAY**	Factor V	~	1 Years	6 Years	Reference Range	67	127	67-127	%
FACTOR V (5) LEVEL [LAB304]	**FACTOR V ASSAY**	Factor V	~	1 Years	6 Years	Valid Checking	2	600	2-600	%
FACTOR V (5) LEVEL [LAB304]	**FACTOR V ASSAY**	Factor V	~	6 Years	11 Years	Reference Range	56	141	56-141	%
FACTOR V (5) LEVEL [LAB304]	**FACTOR V ASSAY**	Factor V	~	6 Years	11 Years	Valid Checking	2	600	2-600	%
FACTOR V (5) LEVEL [LAB304]	**FACTOR V ASSAY**	Factor V	~	11 Years	16 Years	Reference Range	67	141	67-141	%
FACTOR V (5) LEVEL [LAB304]	**FACTOR V ASSAY**	Factor V	~	11 Years	16 Years	Valid Checking	2	600	2-600	%
FACTOR V (5) LEVEL [LAB304]	**FACTOR V ASSAY**	Factor V	~	16 Years	150 Years	Reference Range	62	139	62-139	%
FACTOR V (5) LEVEL [LAB304]	**FACTOR V ASSAY**	Factor V	~	16 Years	150 Years	Valid Checking	2	600	2-600	%
FACTOR VII (7) LEVEL [LAB305]	**FACTOR VII ASSAY**	Factor VII	~	0	1 Months	Reference Range	67	107	67-107	%
FACTOR VII (7) LEVEL [LAB305]	**FACTOR VII ASSAY**	Factor VII	~	0	1 Months	Valid Checking	2	600	2-600	%
FACTOR VII (7) LEVEL [LAB305]	**FACTOR VII ASSAY**	Factor VII	~	1 Months	1 Years	Reference Range	83	160	83-160	%
FACTOR VII (7) LEVEL [LAB305]	**FACTOR VII ASSAY**	Factor VII	~	1 Months	1 Years	Valid Checking	2	600	2-600	%
FACTOR VII (7) LEVEL [LAB305]	**FACTOR VII ASSAY**	Factor VII	~	1 Years	6 Years	Reference Range	72	150	72-150	%
FACTOR VII (7) LEVEL [LAB305]	**FACTOR VII ASSAY**	Factor VII	~	1 Years	6 Years	Valid Checking	2	600	2-600	%
FACTOR VII (7) LEVEL [LAB305]	**FACTOR VII ASSAY**	Factor VII	~	6 Years	11 Years	Reference Range	70	156	70-156	%
FACTOR VII (7) LEVEL [LAB305]	**FACTOR VII ASSAY**	Factor VII	~	6 Years	11 Years	Valid Checking	2	600	2-600	%
FACTOR VII (7) LEVEL [LAB305]	**FACTOR VII ASSAY**	Factor VII	~	11 Years	16 Years	Reference Range	69	200	69-200	%
FACTOR VII (7) LEVEL [LAB305]	**FACTOR VII ASSAY**	Factor VII	~	11 Years	16 Years	Valid Checking	2	600	2-600	%
FACTOR VII (7) LEVEL [LAB305]	**FACTOR VII ASSAY**	Factor VII	~	16 Years	150 Years	Reference Range	63	174	63-174	%
FACTOR VII (7) LEVEL [LAB305]	**FACTOR VII ASSAY**	Factor VII	~	16 Years	150 Years	Valid Checking	2	600	2-600	%
FACTOR VIII (8) LEVEL [LAB306]	**FACTOR VIII ASSAY**	FactorVIII	~	0	1 Months	Reference Range	83.0	274.0	83.0-274.0	%
FACTOR VIII (8) LEVEL [LAB306]	**FACTOR VIII ASSAY**	FactorVIII	~	0	1 Months	Valid Checking	0.3	600.0	0.3-600.0	%
FACTOR VIII (8) LEVEL [LAB306]	**FACTOR VIII ASSAY**	FactorVIII	~	1 Months	1 Years	Reference Range	54.0	145.0	54.0-145.0	%
FACTOR VIII (8) LEVEL [LAB306]	**FACTOR VIII ASSAY**	FactorVIII	~	1 Months	1 Years	Valid Checking	0.3	600.0	0.3-600.0	%
FACTOR VIII (8) LEVEL [LAB306]	**FACTOR VIII ASSAY**	FactorVIII	~	1 Years	6 Years	Reference Range	36.0	185.0	36.0-185.0	%
FACTOR VIII (8) LEVEL [LAB306]	**FACTOR VIII ASSAY**	FactorVIII	~	1 Years	6 Years	Valid Checking	0.3	600.0	0.3-600.0	%
FACTOR VIII (8) LEVEL [LAB306]	**FACTOR VIII ASSAY**	FactorVIII	~	6 Years	11 Years	Reference Range	52.0	182.0	52.0-182.0	%
FACTOR VIII (8) LEVEL [LAB306]	**FACTOR VIII ASSAY**	FactorVIII	~	6 Years	11 Years	Valid Checking	0.3	600.0	0.3-600.0	%
FACTOR VIII (8) LEVEL [LAB306]	**FACTOR VIII ASSAY**	FactorVIII	~	11 Years	16 Years	Reference Range	59.0	200.0	59.0-200.0	%
FACTOR VIII (8) LEVEL [LAB306]	**FACTOR VIII ASSAY**	FactorVIII	~	11 Years	16 Years	Valid Checking	0.3	600.0	0.3-600.0	%
FACTOR VIII (8) LEVEL [LAB306]	**FACTOR VIII ASSAY**	FactorVIII	~	16 Years	150 Years	Reference Range	50.0	185.0	50.0-185.0	%
FACTOR VIII (8) LEVEL [LAB306]	**FACTOR VIII ASSAY**	FactorVIII	~	16 Years	150 Years	Valid Checking	0.3	600.0	0.3-600.0	%
FACTOR X (10) LEVEL [LAB758]	**FACTOR X ASSAY**	Factor X	~	0	1 Months	Reference Range	46	75	46-75	%
FACTOR X (10) LEVEL [LAB758]	**FACTOR X ASSAY**	Factor X	~	0	1 Months	Valid Checking	2	600	2-600	%
FACTOR X (10) LEVEL [LAB758]	**FACTOR X ASSAY**	Factor X	~	1 Months	1 Years	Reference Range	77	122	77-122	%
FACTOR X (10) LEVEL [LAB758]	**FACTOR X ASSAY**	Factor X	~	1 Months	1 Years	Valid Checking	2	600	2-600	%
FACTOR X (10) LEVEL [LAB758]	**FACTOR X ASSAY**	Factor X	~	1 Years	6 Years	Reference Range	72	125	72-125	%
FACTOR X (10) LEVEL [LAB758]	**FACTOR X ASSAY**	Factor X	~	1 Years	6 Years	Valid Checking	2	600	2-600	%
FACTOR X (10) LEVEL [LAB758]	**FACTOR X ASSAY**	Factor X	~	6 Years	11 Years	Reference Range	68	125	68-125	%
FACTOR X (10) LEVEL [LAB758]	**FACTOR X ASSAY**	Factor X	~	6 Years	11 Years	Valid Checking	2	600	2-600	%
FACTOR X (10) LEVEL [LAB758]	**FACTOR X ASSAY**	Factor X	~	11 Years	16 Years	Reference Range	53	122	53-122	%
FACTOR X (10) LEVEL [LAB758]	**FACTOR X ASSAY**	Factor X	~	11 Years	16 Years	Valid Checking	2	600	2-600	%

Special Chemistry										
Procedure	Component Name	Abbrev	Sex	Age From	Age To	Result Checking Type	Low	High	Numeric Range	Units
FACTOR X (10) LEVEL [LAB758]	**FACTOR X ASSAY**	Factor X	~	16 Years	150 Years	Reference Range	88	148	88-148	%
FACTOR X (10) LEVEL [LAB758]	**FACTOR X ASSAY**	Factor X	~	16 Years	150 Years	Valid Checking	2	600	2-600	%
FACTOR XI (11) LEVEL [LAB309]	**FACTOR XI ASSAY**	Factor XI	~	0	1 Months	Reference Range	24	79	24-79	%
FACTOR XI (11) LEVEL [LAB309]	**FACTOR XI ASSAY**	Factor XI	~	0	1 Months	Valid Checking	2	600	2-600	%
FACTOR XI (11) LEVEL [LAB309]	**FACTOR XI ASSAY**	Factor XI	~	1 Months	1 Years	Reference Range	62	125	62-125	%
FACTOR XI (11) LEVEL [LAB309]	**FACTOR XI ASSAY**	Factor XI	~	1 Months	1 Years	Valid Checking	2	600	2-600	%
FACTOR XI (11) LEVEL [LAB309]	**FACTOR XI ASSAY**	Factor XI	~	1 Years	6 Years	Reference Range	65	162	65-162	%
FACTOR XI (11) LEVEL [LAB309]	**FACTOR XI ASSAY**	Factor XI	~	1 Years	6 Years	Valid Checking	2	600	2-600	%
FACTOR XI (11) LEVEL [LAB309]	**FACTOR XI ASSAY**	Factor XI	~	6 Years	11 Years	Reference Range	65	162	65-162	%
FACTOR XI (11) LEVEL [LAB309]	**FACTOR XI ASSAY**	Factor XI	~	6 Years	11 Years	Valid Checking	2	600	2-600	%
FACTOR XI (11) LEVEL [LAB309]	**FACTOR XI ASSAY**	Factor XI	~	11 Years	16 Years	Reference Range	65	139	65-139	%
FACTOR XI (11) LEVEL [LAB309]	**FACTOR XI ASSAY**	Factor XI	~	11 Years	16 Years	Valid Checking	2	600	2-600	%
FACTOR XI (11) LEVEL [LAB309]	**FACTOR XI ASSAY**	Factor XI	~	16 Years	150 Years	Reference Range	65	150	65-150	%
FACTOR XI (11) LEVEL [LAB309]	**FACTOR XI ASSAY**	Factor XI	~	16 Years	150 Years	Valid Checking	2	600	2-600	%
FACTOR XII (12) LEVEL [LAB310]	**FACTOR XII ASSAY**	Factor XII	~	0	1 Months	Reference Range	14	80	14-80	%
FACTOR XII (12) LEVEL [LAB310]	**FACTOR XII ASSAY**	Factor XII	~	0	1 Months	Valid Checking	2	600	2-600	%
FACTOR XII (12) LEVEL [LAB310]	**FACTOR XII ASSAY**	Factor XII	~	1 Months	1 Years	Reference Range	20	135	20-135	%
FACTOR XII (12) LEVEL [LAB310]	**FACTOR XII ASSAY**	Factor XII	~	1 Months	1 Years	Valid Checking	2	600	2-600	%
FACTOR XII (12) LEVEL [LAB310]	**FACTOR XII ASSAY**	Factor XII	~	1 Years	6 Years	Reference Range	36	135	36-135	%
FACTOR XII (12) LEVEL [LAB310]	**FACTOR XII ASSAY**	Factor XII	~	1 Years	6 Years	Valid Checking	2	600	2-600	%
FACTOR XII (12) LEVEL [LAB310]	**FACTOR XII ASSAY**	Factor XII	~	6 Years	11 Years	Reference Range	26	137	26-137	%
FACTOR XII (12) LEVEL [LAB310]	**FACTOR XII ASSAY**	Factor XII	~	6 Years	11 Years	Valid Checking	2	600	2-600	%
FACTOR XII (12) LEVEL [LAB310]	**FACTOR XII ASSAY**	Factor XII	~	11 Years	16 Years	Reference Range	14	117	14-117	%
FACTOR XII (12) LEVEL [LAB310]	**FACTOR XII ASSAY**	Factor XII	~	11 Years	16 Years	Valid Checking	2	600	2-600	%
FACTOR XII (12) LEVEL [LAB310]	**FACTOR XII ASSAY**	Factor XII	~	16 Years	150 Years	Reference Range	55	158	55-158	%
FACTOR XII (12) LEVEL [LAB310]	**FACTOR XII ASSAY**	Factor XII	~	16 Years	150 Years	Valid Checking	2	600	2-600	%
FACTOR XIII (13) QUANTITATIVE LEVEL [LAB1113]	**FACTOR XIII (13) QUANTITATIVE LEVEL**	FXIIIQ	~	0	30 Days	Reference Range	63	152	63-152	%
FACTOR XIII (13) QUANTITATIVE LEVEL [LAB1113]	**FACTOR XIII (13) QUANTITATIVE LEVEL**	FXIIIQ	~	0	30 Days	Valid Checking	15	260	15-260	%
FACTOR XIII (13) QUANTITATIVE LEVEL [LAB1113]	**FACTOR XIII (13) QUANTITATIVE LEVEL**	FXIIIQ	~	30 Days	1 Years	Reference Range	42	128	42-128	%
FACTOR XIII (13) QUANTITATIVE LEVEL [LAB1113]	**FACTOR XIII (13) QUANTITATIVE LEVEL**	FXIIIQ	~	30 Days	1 Years	Valid Checking	15	260	15-260	%
FACTOR XIII (13) QUANTITATIVE LEVEL [LAB1113]	**FACTOR XIII (13) QUANTITATIVE LEVEL**	FXIIIQ	~	1 Years	5 Years	Reference Range	71	139	71-139	%
FACTOR XIII (13) QUANTITATIVE LEVEL [LAB1113]	**FACTOR XIII (13) QUANTITATIVE LEVEL**	FXIIIQ	~	1 Years	5 Years	Valid Checking	15	260	15-260	%
FACTOR XIII (13) QUANTITATIVE LEVEL [LAB1113]	**FACTOR XIII (13) QUANTITATIVE LEVEL**	FXIIIQ	~	5 Years	10 Years	Reference Range	76	133	76-133	%
FACTOR XIII (13) QUANTITATIVE LEVEL [LAB1113]	**FACTOR XIII (13) QUANTITATIVE LEVEL**	FXIIIQ	~	5 Years	10 Years	Valid Checking	15	260	15-260	%
FACTOR XIII (13) QUANTITATIVE LEVEL [LAB1113]	**FACTOR XIII (13) QUANTITATIVE LEVEL**	FXIIIQ	~	10 Years	16 Years	Reference Range	64	133	64-133	%
FACTOR XIII (13) QUANTITATIVE LEVEL [LAB1113]	**FACTOR XIII (13) QUANTITATIVE LEVEL**	FXIIIQ	~	10 Years	16 Years	Valid Checking	15	260	15-260	%
FACTOR XIII (13) QUANTITATIVE LEVEL [LAB1113]	**FACTOR XIII (13) QUANTITATIVE LEVEL**	FXIIIQ	~	16 Years	150 Years	Reference Range	50	130	50-130	%
FACTOR XIII (13) QUANTITATIVE LEVEL [LAB1113]	**FACTOR XIII (13) QUANTITATIVE LEVEL**	FXIIIQ	~	16 Years	150 Years	Valid Checking	15	260	15-260	%
FIBRIN MONOMER [LAB1118]	**FIBRIN MONOMER**	Fibmon	~	~ ~	~ ~	Reference Range		7	<7	mcg/mL
FIBRIN MONOMER [LAB1118]	**FIBRIN MONOMER**	Fibmon	~	~ ~	~ ~	Valid Checking	7	150	7-150	mcg/mL
HEPARIN INDUCED PLATELET ANTIBODY [LAB766]	**HEPARIN INDUCED THROMBOCYTOPENIA OD**	HIT OD	~	~ ~	~ ~	Reference Range		0.499	<=0.499	
HEPARIN INDUCED PLATELET ANTIBODY [LAB766]	**HEPARIN INDUCED THROMBOCYTOPENIA OD**	HIT OD	~	~ ~	~ ~	Abnormality - Critical		0.499	>0.499	
HEPARIN INDUCED PLATELET ANTIBODY [LAB766]	**HEPARIN INDUCED THROMBOCYTOPENIA RESULT**	HIT Result	~	~ ~	~ ~	Reference Range				OD
HEPARIN INDUCED PLATELET ANTIBODY [LAB766]	**HEPARIN INDUCED THROMBOCYTOPENIA RESULT**	HIT Result	~	~ ~	~ ~	Valid Checking				OD
LUPUS ANTICOAGULANT PANEL [LAB478]	**PROTHROMBIN TIME**	PT	~	0	30 Days	Reference Range	9.8	12.9	9.8-12.9	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**PROTHROMBIN TIME**	PT	~	0	30 Days	Valid Checking	8.0	120.0	8.0-120.0	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**PROTHROMBIN TIME**	PT	~	0	30 Days	Abnormality - Critical		36.5	>36.5	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**PROTHROMBIN TIME**	PT	~	30 Days	1 Years	Reference Range	9.8	12.9	9.8-12.9	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**PROTHROMBIN TIME**	PT	~	30 Days	1 Years	Valid Checking	8.0	120.0	8.0-120.0	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**PROTHROMBIN TIME**	PT	~	1 Years	150 Years	Reference Range	9.8	12.9	9.8-12.9	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**PROTHROMBIN TIME**	PT	~	1 Years	150 Years	Valid Checking	8.0	120.0	8.0-120.0	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**PARTIAL THROMBOPLASTIN TIME**	PTT lrrabb	~	0	30 Days	Reference Range	26.5	36.8	26.5-36.8	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**PARTIAL THROMBOPLASTIN TIME**	PTT lrrabb	~	0	30 Days	Valid Checking	20.0	120.0	20.0-120.0	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**PARTIAL THROMBOPLASTIN TIME**	PTT lrrabb	~	0	30 Days	Abnormality - Critical		59.0	>59.0	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**PARTIAL THROMBOPLASTIN TIME**	PTT lrrabb	~	0	30 Days	Reference Range	25.1	36.5	25.1-36.5	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**PARTIAL THROMBOPLASTIN TIME**	PTT lrrabb	~	0	30 Days	Valid Checking	20.0	249.0	20.0-249.0	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**PARTIAL THROMBOPLASTIN TIME**	PTT lrrabb	~	0	30 Days	Abnormality - Critical		120.0	>120.0	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**PARTIAL THROMBOPLASTIN TIME**	PTT lrrabb	~	0	30 Days	Abnormality - Critical		122.0	>122.0	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**PARTIAL THROMBOPLASTIN TIME**	PTT lrrabb	~	0	30 Days	Abnormality - Critical		100.0	>100.0	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**PARTIAL THROMBOPLASTIN TIME**	PTT lrrabb	~	0	30 Days	Abnormality - Critical		249.0	>249.0	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**PARTIAL THROMBOPLASTIN TIME**	PTT lrrabb	~	30 Days	12 Years	Reference Range	26.5	36.8	26.5-36.8	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**PARTIAL THROMBOPLASTIN TIME**	PTT lrrabb	~	30 Days	12 Years	Valid Checking	20.0	120.0	20.0-120.0	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**PARTIAL THROMBOPLASTIN TIME**	PTT lrrabb	~	30 Days	12 Years	Abnormality - Critical		59.0	>59.0	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**PARTIAL THROMBOPLASTIN TIME**	PTT lrrabb	~	30 Days	12 Years	Valid Checking	20.0	249.0	20.0-249.0	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**PARTIAL THROMBOPLASTIN TIME**	PTT lrrabb	~	30 Days	12 Years	Abnormality - Critical		120.0	>120.0	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**PARTIAL THROMBOPLASTIN TIME**	PTT lrrabb	~	30 Days	12 Years	Abnormality - Critical		122.0	>122.0	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**PARTIAL THROMBOPLASTIN TIME**	PTT lrrabb	~	30 Days	12 Years	Abnormality - Critical		100.0	>100.0	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**PARTIAL THROMBOPLASTIN TIME**	PTT lrrabb	~	30 Days	12 Years	Abnormality - Critical		249.0	>249.0	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**PARTIAL THROMBOPLASTIN TIME**	PTT lrrabb	~	12 Years	150 Years	Reference Range	26.5	36.8	26.5-36.8	second(s)

Special Chemistry										
Procedure	Component Name	Abbrev	Sex	Age From	Age To	Result Checking Type	Low	High	Numeric Range	Units
LUPUS ANTICOAGULANT PANEL [LAB478]	**PARTIAL THROMBOPLASTIN TIME**	PTT lrrabb	~	12 Years	150 Years	Valid Checking	20.0	120.0	20.0-120.0	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**PARTIAL THROMBOPLASTIN TIME**	PTT lrrabb	~	12 Years	150 Years	Abnormality - Critical		109.0	>109.0	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**PARTIAL THROMBOPLASTIN TIME**	PTT lrrabb	~	12 Years	150 Years	Valid Checking	20.0	249.0	20.0-249.0	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**PARTIAL THROMBOPLASTIN TIME**	PTT lrrabb	~	12 Years	150 Years	Abnormality - Critical		122.0	>122.0	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**PARTIAL THROMBOPLASTIN TIME**	PTT lrrabb	~	12 Years	150 Years	Abnormality - Critical		100.0	>100.0	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**PARTIAL THROMBOPLASTIN TIME**	PTT lrrabb	~	12 Years	150 Years	Abnormality - Critical		249.0	>249.0	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**THROMBIN TIME**	TT	~	~ ~	~ ~	Reference Range	0.0	16.6	0.0-16.6	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**THROMBIN TIME**	TT	~	~ ~	~ ~	Valid Checking	10.0	300.0	10.0-300.0	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**HEPARIN LEVEL**	Heparin	~	~ ~	~ ~	Reference Range		0.89	<=0.89	unit/mL
LUPUS ANTICOAGULANT PANEL [LAB478]	**HEPARIN LEVEL**	Heparin	~	~ ~	~ ~	Valid Checking	0.04	2.00	0.04-2.00	unit/mL
LUPUS ANTICOAGULANT PANEL [LAB478]	**HEPARIN LEVEL**	Heparin	~	~ ~	~ ~	Abnormality - Critical		0.89	>0.89	unit/mL
LUPUS ANTICOAGULANT PANEL [LAB478]	**HEPARIN LEVEL**	Heparin	~	~ ~	~ ~	Reference Range	0.30	0.70	0.30-0.70	unit/mL
LUPUS ANTICOAGULANT PANEL [LAB478]	**HEPARIN LEVEL**	Heparin	~	~ ~	~ ~	Abnormality - Critical		1.09	>1.09	unit/mL
LUPUS ANTICOAGULANT PANEL [LAB478]	**HEPARIN LEVEL**	Heparin	~	~ ~	~ ~	Reference Range		2.00	<=2.00	unit/mL
LUPUS ANTICOAGULANT PANEL [LAB478]	**HEPARIN LEVEL**	Heparin	~	~ ~	~ ~	Abnormality - Critical		2.00	>2.00	unit/mL
LUPUS ANTICOAGULANT PANEL [LAB478]	**DRVVT SCREEN**	dRVVTScr	~	~ ~	~ ~	Reference Range	31.9	50.3	31.9-50.3	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**DRVVT SCREEN RATIO**	dRVVTScrR	~	~ ~	~ ~	Reference Range		1.30	<=1.30	
LUPUS ANTICOAGULANT PANEL [LAB478]	**SILICA CLOTTING TIME SCREEN**	SCT Screen	~	~ ~	~ ~	Reference Range	30.6	53.8	30.6-53.8	second(s)
LUPUS ANTICOAGULANT PANEL [LAB478]	**SILICA CLOTTING TIME SCREEN RATIO**		~	~ ~	~ ~	Reference Range		1.37	<=1.37	
LUPUS ANTICOAGULANT PANEL [LAB478]	**ANTI-CARDIOLIPIN ANTIBODY IGG**	ACA IgG	~	~ ~	~ ~	Reference Range		20.0	<=20.0	CU
LUPUS ANTICOAGULANT PANEL [LAB478]	**ANTI-CARDIOLIPIN ANTIBODY IGG**	ACA IgG	~	~ ~	~ ~	Valid Checking	2.6	2024.0	2.6-2024.0	CU
LUPUS ANTICOAGULANT PANEL [LAB478]	**ANTI-CARDIOLIPIN ANTIBODY IGM**	ACA IgM	~	~ ~	~ ~	Reference Range		20.0	<=20.0	CU
LUPUS ANTICOAGULANT PANEL [LAB478]	**ANTI-CARDIOLIPIN ANTIBODY IGM**	ACA IgM	~	~ ~	~ ~	Valid Checking	1.0	774.0	1.0-774.0	CU
LUPUS ANTICOAGULANT PANEL [LAB478]	**ANTI-B2GLYCOPROTEIN1 ANTIBODY IGG**	B2GP1 IgG	~	~ ~	~ ~	Reference Range		20.0	<=20.0	CU
LUPUS ANTICOAGULANT PANEL [LAB478]	**ANTI-B2GLYCOPROTEIN1 ANTIBODY IGG**	B2GP1 IgG	~	~ ~	~ ~	Valid Checking	6.4	6100.0	6.4-6100.0	CU
LUPUS ANTICOAGULANT PANEL [LAB478]	**ANTI-B2GLYCOPROTEIN1 ANTIBODY IGM**	B2GP1 IgM	~	~ ~	~ ~	Reference Range		20.0	<=20.0	CU
LUPUS ANTICOAGULANT PANEL [LAB478]	**ANTI-B2GLYCOPROTEIN1 ANTIBODY IGM**	B2GP1 IgM	~	~ ~	~ ~	Valid Checking	1.1	841.0	1.1-841.0	CU
MARKERS OF COAG AND HEMOSTATIC ACTIVATION [LAB10853]	**FIBRIN MONOMER**	Fibmon	~	~ ~	~ ~	Reference Range		7	<7	mcg/mL
MARKERS OF COAG AND HEMOSTATIC ACTIVATION [LAB10853]	**FIBRIN MONOMER**	Fibmon	~	~ ~	~ ~	Valid Checking	7	150	7-150	mcg/mL
MARKERS OF COAG AND HEMOSTATIC ACTIVATION [LAB10853]	**THROMBIN ANTITHROMBIN COMPLEXES**	TAT	~	~ ~	~ ~	Reference Range		5.5	<=5.5	mcg/L
MARKERS OF COAG AND HEMOSTATIC ACTIVATION [LAB10853]	**THROMBIN ANTITHROMBIN COMPLEXES**	TAT	~	~ ~	~ ~	Valid Checking	2.0	60.0	2.0-60.0	mcg/L
MARKERS OF COAG AND HEMOSTATIC ACTIVATION [LAB10853]	**PROTHROMBIN FRAGMENT 1.2**		~	~ ~	~ ~	Reference Range	65	288	65-288	
MARKERS OF COAG AND HEMOSTATIC ACTIVATION [LAB10853]	**PROTHROMBIN FRAGMENT 1.2**		~	~ ~	~ ~	Valid Checking	20	1200	20-1200	
MARKERS OF COAG AND HEMOSTATIC ACTIVATION [LAB10853]	**PROTHROMBIN FRAGMENT 1.2**		~	~ ~	~ ~	Reportable Checking	21	1199	<21 or >1199	
MARKERS OF COAG AND HEMOSTATIC ACTIVATION [LAB10853]	**D-DIMER (FEU)**	Dimer-FEU	~	~ ~	~ ~	Reference Range		500	<=500	ng/mL
MARKERS OF COAG AND HEMOSTATIC ACTIVATION [LAB10853]	**D-DIMER (FEU)**	Dimer-FEU	~	~ ~	~ ~	Valid Checking	0	30000	0-30000	ng/mL
MARKERS OF COAG AND HEMOSTATIC ACTIVATION [LAB10853]	**D-DIMER (FEU)**	Dimer-FEU	~	~ ~	~ ~	Reference Range		574	<=574	ng/mL
MARKERS OF COAG AND HEMOSTATIC ACTIVATION [LAB10853]	**D-DIMER (FEU)**	Dimer-FEU	~	~ ~	~ ~	Valid Checking	220	60000	220-60000	ng/mL
MIXING STUDY ACTIVATED PARTIAL THROMBOPLASTIN TIME [LAB325]	**PTT PNP IMMEDIATE**	PTT Pnp Im	~	~ ~	~ ~	Valid Checking	20.0	249.0	20.0-249.0	second(s)
MIXING STUDY ACTIVATED PARTIAL THROMBOPLASTIN TIME [LAB325]	**PTT PAT IMMEDIATE**	PTT Pat Im	~	~ ~	~ ~	Valid Checking	20.0	249.0	20.0-249.0	second(s)
MIXING STUDY ACTIVATED PARTIAL THROMBOPLASTIN TIME [LAB325]	**PTT MIX IMMEDIATE**	PTT Mix Im	~	~ ~	~ ~	Valid Checking	20.0	249.0	20.0-249.0	second(s)
MIXING STUDY ACTIVATED PARTIAL THROMBOPLASTIN TIME [LAB325]	**PTT PNP 1HOUR**	PTT Pnp 1h	~	~ ~	~ ~	Valid Checking	20.0	249.0	20.0-249.0	second(s)
MIXING STUDY ACTIVATED PARTIAL THROMBOPLASTIN TIME [LAB325]	**PTT PAT 1HOUR**	PTT Pat 1h	~	~ ~	~ ~	Valid Checking	20.0	249.0	20.0-249.0	second(s)
MIXING STUDY ACTIVATED PARTIAL THROMBOPLASTIN TIME [LAB325]	**PTT MIX 1HOUR**	PTT Mix 1h	~	~ ~	~ ~	Valid Checking	20.0	249.0	20.0-249.0	second(s)
PLASMINOGEN ACTIVATOR INHIBITOR-1 [LAB1124]	**PLASMINOGEN ACTIVATOR INHIBITOR-1**	PAI	~	~ ~	~ ~	Reference Range		37.0	<=37.0	unit/mL
PLASMINOGEN ACTIVATOR INHIBITOR-1 [LAB1124]	**PLASMINOGEN ACTIVATOR INHIBITOR-1**	PAI	~	~ ~	~ ~	Valid Checking		90.0	<90.0	unit/mL
PLASMINOGEN ACTIVITY [LAB1125]	**PLASMINOGEN ACTIVITY LEVEL**	PLAS	~	~ ~	~ ~	Reference Range	80	133	80-133	%
PLASMINOGEN ACTIVITY [LAB1125]	**PLASMINOGEN ACTIVITY LEVEL**	PLAS	~	~ ~	~ ~	Valid Checking	10	150	10-150	%
PLATELET AGGREGATION [LAB10854]	**EPINEPHRINE**	Epineph	~	~ ~	~ ~	Reference Range	83		>=83	%
PLATELET AGGREGATION [LAB10854]	**STRONG ADP**	Strong ADP	~	~ ~	~ ~	Reference Range	80		>=80	%
PLATELET AGGREGATION [LAB10854]	**MODERATE ADP**	Mod ADP	~	~ ~	~ ~	Reference Range	75		>=75	%
PLATELET AGGREGATION [LAB10854]	**WEAK ADP**	Weak ADP	~	~ ~	~ ~	Reference Range	18		>=18	%
PLATELET AGGREGATION [LAB10854]	**STRONG COLLAGEN**	SCollagen	~	~ ~	~ ~	Reference Range	84		>=84	%
PLATELET AGGREGATION [LAB10854]	**WEAK COLLAGEN**	WCollagen	~	~ ~	~ ~	Reference Range	69		>=69	%
PLATELET AGGREGATION [LAB10854]	**STRONG RISTOCETIN**	Sristo	~	~ ~	~ ~	Reference Range	78		>=78	%
PLATELET AGGREGATION [LAB10854]	**MODERATE RISTOCETIN**	Ristocetin	~	~ ~	~ ~	Reference Range	81		>=81	%
PLATELET AGGREGATION [LAB10854]	**WEAK RISTOCETIN**	WRisto	~	0	150 Years	Reference Range		8	<=8	%
PLATELET AGGREGATION [LAB10854]	**ARACHIDONIC ACID**	Arach Acid	~	~ ~	~ ~	Reference Range	84		>=84	%
PLATELET AGGREGATION [LAB10854]	**U46619**	U46619	~	~ ~	~ ~	Reference Range	73		>=73	%
PLATELET AGGREGATION [LAB10854]	**SPONTANEOUS**	Spont	~	~ ~	~ ~	Reference Range		8	<=8	%
PLATELET ANTIBODY INDIRECT [LAB767]	**GPIIB/IIIA PLATELET ANTIBODY**		~	~ ~	~ ~	Reference Range				
PLATELET ANTIBODY INDIRECT [LAB767]	**GPIIB/IIIA PLATELET ANTIBODY**		~	~ ~	~ ~	Valid Checking				
PLATELET ANTIBODY INDIRECT [LAB767]	**GPIA/IIA PLATELET ANTIBODY**		~	~ ~	~ ~	Reference Range				
PLATELET ANTIBODY INDIRECT [LAB767]	**GPIA/IIA PLATELET ANTIBODY**		~	~ ~	~ ~	Valid Checking				
PLATELET ANTIBODY INDIRECT [LAB767]	**GPIB PLATELET ANTIBODY**		~	~ ~	~ ~	Reference Range				
PLATELET ANTIBODY INDIRECT [LAB767]	**GPIB PLATELET ANTIBODY**		~	~ ~	~ ~	Valid Checking				
PLATELET ANTIBODY INDIRECT [LAB767]	**GPIV PLATELET ANTIBODY**		~	~ ~	~ ~	Reference Range				
PLATELET ANTIBODY INDIRECT [LAB767]	**GPIV PLATELET ANTIBODY**		~	~ ~	~ ~	Valid Checking				
PLATELET ANTIBODY INDIRECT [LAB767]	**HLA CLASS I ANTIBODY**		~	~ ~	~ ~	Reference Range				

Special Chemistry										
Procedure	Component Name	Abbrev	Sex	Age From	Age To	Result Checking Type	Low	High	Numeric Range	Units
PLATELET ANTIBODY INDIRECT [LAB767]	**HLA CLASS I ANTIBODY**		~	~ ~	~ ~	Valid Checking				
PLATELET INHIBITOR AGGREGATION [LAB10856]	**HIGH ADP**	High ADP	~	~ ~	~ ~	Reference Range	80		>=80	%
PLATELET INHIBITOR AGGREGATION [LAB10856]	**MODERATE ADP**	Mod ADP	~	~ ~	~ ~	Reference Range	75		>=75	%
PLATELET INHIBITOR AGGREGATION [LAB10856]	**ARACHIDONIC ACID**	Arach Acid	~	~ ~	~ ~	Reference Range	84		>=84	%
PLATELET INHIBITOR AGGREGATION [LAB10856]	**U46619**	U46619	~	~ ~	~ ~	Reference Range	73		>=73	%
PROTEIN C ACTIVITY LEVEL [LAB10857]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	0	1 Months	Reference Range	24	51	24-51	%
PROTEIN C ACTIVITY LEVEL [LAB10857]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	0	1 Months	Valid Checking	10	300	10-300	%
PROTEIN C ACTIVITY LEVEL [LAB10857]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	0	1 Months	Abnormality - Critical	10		<10	%
PROTEIN C ACTIVITY LEVEL [LAB10857]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	1 Months	1 Years	Reference Range	28	124	28-124	%
PROTEIN C ACTIVITY LEVEL [LAB10857]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	1 Months	1 Years	Valid Checking	10	300	10-300	%
PROTEIN C ACTIVITY LEVEL [LAB10857]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	1 Months	1 Years	Abnormality - Critical	10		<10	%
PROTEIN C ACTIVITY LEVEL [LAB10857]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	1 Years	6 Years	Reference Range	50	134	50-134	%
PROTEIN C ACTIVITY LEVEL [LAB10857]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	1 Years	6 Years	Valid Checking	10	300	10-300	%
PROTEIN C ACTIVITY LEVEL [LAB10857]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	1 Years	6 Years	Abnormality - Critical	10		<10	%
PROTEIN C ACTIVITY LEVEL [LAB10857]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	6 Years	11 Years	Reference Range	64	125	64-125	%
PROTEIN C ACTIVITY LEVEL [LAB10857]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	6 Years	11 Years	Valid Checking	10	300	10-300	%
PROTEIN C ACTIVITY LEVEL [LAB10857]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	6 Years	11 Years	Abnormality - Critical	10		<10	%
PROTEIN C ACTIVITY LEVEL [LAB10857]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	11 Years	16 Years	Reference Range	59	112	59-112	%
PROTEIN C ACTIVITY LEVEL [LAB10857]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	11 Years	16 Years	Valid Checking	10	300	10-300	%
PROTEIN C ACTIVITY LEVEL [LAB10857]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	11 Years	16 Years	Abnormality - Critical	10		<10	%
PROTEIN C ACTIVITY LEVEL [LAB10857]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	16 Years	150 Years	Reference Range	90	183	90-183	%
PROTEIN C ACTIVITY LEVEL [LAB10857]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	16 Years	150 Years	Valid Checking	10	300	10-300	%
PROTEIN C ACTIVITY LEVEL [LAB10857]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	16 Years	150 Years	Abnormality - Critical	10		<10	%
PROTEIN S ACTIVITY LEVEL [LAB490]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	0	1 Months	Reference Range	33	67	33-67	
PROTEIN S ACTIVITY LEVEL [LAB490]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	0	1 Months	Valid Checking	10	260	10-260	
PROTEIN S ACTIVITY LEVEL [LAB490]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	0	1 Months	Abnormality - Critical	10		<10	
PROTEIN S ACTIVITY LEVEL [LAB490]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	1 Months	1 Years	Reference Range	29	62	29-62	
PROTEIN S ACTIVITY LEVEL [LAB490]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	1 Months	1 Years	Valid Checking	10	260	10-260	
PROTEIN S ACTIVITY LEVEL [LAB490]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	1 Months	1 Years	Abnormality - Critical	10		<10	
PROTEIN S ACTIVITY LEVEL [LAB490]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	1 Years	6 Years	Reference Range	67	136	67-136	
PROTEIN S ACTIVITY LEVEL [LAB490]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	1 Years	6 Years	Valid Checking	10	260	10-260	
PROTEIN S ACTIVITY LEVEL [LAB490]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	1 Years	6 Years	Abnormality - Critical	10		<10	
PROTEIN S ACTIVITY LEVEL [LAB490]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	6 Years	11 Years	Reference Range	64	154	64-154	
PROTEIN S ACTIVITY LEVEL [LAB490]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	6 Years	11 Years	Valid Checking	10	260	10-260	
PROTEIN S ACTIVITY LEVEL [LAB490]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	6 Years	11 Years	Abnormality - Critical	10		<10	
PROTEIN S ACTIVITY LEVEL [LAB490]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	11 Years	16 Years	Reference Range	65	140	65-140	
PROTEIN S ACTIVITY LEVEL [LAB490]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	11 Years	16 Years	Valid Checking	10	260	10-260	
PROTEIN S ACTIVITY LEVEL [LAB490]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	11 Years	16 Years	Abnormality - Critical	10		<10	
PROTEIN S ACTIVITY LEVEL [LAB490]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	16 Years	150 Years	Reference Range	64	149	64-149	
PROTEIN S ACTIVITY LEVEL [LAB490]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	16 Years	150 Years	Valid Checking	10	260	10-260	
PROTEIN S ACTIVITY LEVEL [LAB490]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	16 Years	150 Years	Abnormality - Critical	10		<10	
PROTEIN S ANTIGEN FREE [LAB492]	**PROTEINS ANTIGEN FREE**	ProtS AG F	Female	~ ~	~ ~	Reference Range	53	169	53-169	%
PROTEIN S ANTIGEN FREE [LAB492]	**PROTEINS ANTIGEN FREE**	ProtS AG F	Female	~ ~	~ ~	Valid Checking	13	220	13-220	%
PROTEIN S ANTIGEN FREE [LAB492]	**PROTEINS ANTIGEN FREE**	ProtS AG F	Male	~ ~	~ ~	Reference Range	55	184	55-184	%
PROTEIN S ANTIGEN FREE [LAB492]	**PROTEINS ANTIGEN FREE**	ProtS AG F	Male	~ ~	~ ~	Valid Checking	13	220	13-220	%
PROTEIN S ANTIGEN FREE [LAB492]	**PROTEINS ANTIGEN FREE**	ProtS AG F	~	~ ~	~ ~	Reference Range	55	169	55-169	%
PROTEIN S ANTIGEN FREE [LAB492]	**PROTEINS ANTIGEN FREE**	ProtS AG F	~	~ ~	~ ~	Valid Checking	13	220	13-220	%
PROTEIN S ANTIGEN PROFILE, FREE + TOTAL [LAB760]	**PROTEIN S ANTIGEN TOTAL**	ProtS AG T	~	~ ~	~ ~	Reference Range	70	155	70-155	%
PROTEIN S ANTIGEN PROFILE, FREE + TOTAL [LAB760]	**PROTEIN S ANTIGEN TOTAL**	ProtS AG T	~	~ ~	~ ~	Valid Checking	13	300	13-300	%
PROTEIN S ANTIGEN PROFILE, FREE + TOTAL [LAB760]	**PROTEINS ANTIGEN FREE**	ProtS AG F	Female	~ ~	~ ~	Reference Range	53	169	53-169	%
PROTEIN S ANTIGEN PROFILE, FREE + TOTAL [LAB760]	**PROTEINS ANTIGEN FREE**	ProtS AG F	Female	~ ~	~ ~	Valid Checking	13	220	13-220	%
PROTEIN S ANTIGEN PROFILE, FREE + TOTAL [LAB760]	**PROTEINS ANTIGEN FREE**	ProtS AG F	Male	~ ~	~ ~	Reference Range	55	184	55-184	%
PROTEIN S ANTIGEN PROFILE, FREE + TOTAL [LAB760]	**PROTEINS ANTIGEN FREE**	ProtS AG F	Male	~ ~	~ ~	Valid Checking	13	220	13-220	%
PROTEIN S ANTIGEN PROFILE, FREE + TOTAL [LAB760]	**PROTEINS ANTIGEN FREE**	ProtS AG F	~	~ ~	~ ~	Reference Range	55	169	55-169	%
PROTEIN S ANTIGEN PROFILE, FREE + TOTAL [LAB760]	**PROTEINS ANTIGEN FREE**	ProtS AG F	~	~ ~	~ ~	Valid Checking	13	220	13-220	%
PROTEIN S ANTIGEN TOTAL [LAB493]	**PROTEIN S ANTIGEN TOTAL**	ProtS AG T	~	~ ~	~ ~	Reference Range	70	155	70-155	%
PROTEIN S ANTIGEN TOTAL [LAB493]	**PROTEIN S ANTIGEN TOTAL**	ProtS AG T	~	~ ~	~ ~	Valid Checking	13	300	13-300	%
PROTHROMBIN FRAGMENT 1.2 [LAB10858]	**PROTHROMBIN FRAGMENT 1.2**		~	~ ~	~ ~	Reference Range	65	288	65-288	
PROTHROMBIN FRAGMENT 1.2 [LAB10858]	**PROTHROMBIN FRAGMENT 1.2**		~	~ ~	~ ~	Valid Checking	20	1200	20-1200	
PROTHROMBIN FRAGMENT 1.2 [LAB10858]	**PROTHROMBIN FRAGMENT 1.2**		~	~ ~	~ ~	Reportable Checking	21	1199	<21 or >1199	
REPTILASE TIME [LAB1136]	**REPTILASE TIME**	Reptilase	~	~ ~	~ ~	Reference Range	13.8	18.4	13.8-18.4	second(s)
REPTILASE TIME [LAB1136]	**REPTILASE TIME**	Reptilase	~	~ ~	~ ~	Valid Checking		120.0	<=120.0	second(s)
RISTOCETIN COFACTOR [LAB10859]	**RISTOCETIN COFACTOR**	Risto	~	~ ~	~ ~	Reference Range	46	196	46-196	%
RISTOCETIN COFACTOR [LAB10859]	**RISTOCETIN COFACTOR**	Risto	~	~ ~	~ ~	Valid Checking	10	600	10-600	%
RISTOCETIN INDUCED PLATELET AGGREGATION [LAB10860]	**STRONG RISTOCETIN**	Sristo	~	~ ~	~ ~	Reference Range	78		>=78	%
RISTOCETIN INDUCED PLATELET AGGREGATION [LAB10860]	**MODERATE RISTOCETIN**	Ristocetin	~	~ ~	~ ~	Reference Range	81		>=81	%
RISTOCETIN INDUCED PLATELET AGGREGATION [LAB10860]	**WEAK RISTOCETIN**	WRisto	~	0	150 Years	Reference Range		8	<=8	%
RIVAROXABAN LEVEL [LAB10861]	**RIVAROXABAN**	Rivaroxabn	~	~ ~	~ ~	Valid Checking	1	500	1-500	ng/mL
THROMBIN ANTITHROMBIN COMPLEXES [LAB10865]	**THROMBIN ANTITHROMBIN COMPLEXES**	TAT	~	~ ~	~ ~	Reference Range		5.5	<=5.5	mcg/L

Special Chemistry										
Procedure	Component Name	Abbrev	Sex	Age From	Age To	Result Checking Type	Low	High	Numeric Range	Units
THROMBIN ANTITHROMBIN COMPLEXES [LAB10865]	**THROMBIN ANTITHROMBIN COMPLEXES**	TAT	~	~ ~	~ ~	Valid Checking	2.0	60.0	2.0-60.0	mcg/L
THROMBIN TIME [LAB324]	**THROMBIN TIME**	TT	~	~ ~	~ ~	Reference Range	0.0	16.6	0.0-16.6	second(s)
THROMBIN TIME [LAB324]	**THROMBIN TIME**	TT	~	~ ~	~ ~	Valid Checking	10.0	300.0	10.0-300.0	second(s)
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	0	1 Months	Reference Range	24	51	24-51	%
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	0	1 Months	Valid Checking	10	300	10-300	%
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	0	1 Months	Abnormality - Critical	10		<10	%
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	1 Months	1 Years	Reference Range	28	124	28-124	%
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	1 Months	1 Years	Valid Checking	10	300	10-300	%
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	1 Months	1 Years	Abnormality - Critical	10		<10	%
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	1 Years	6 Years	Reference Range	50	134	50-134	%
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	1 Years	6 Years	Valid Checking	10	300	10-300	%
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	1 Years	6 Years	Abnormality - Critical	10		<10	%
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	6 Years	11 Years	Reference Range	64	125	64-125	%
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	6 Years	11 Years	Valid Checking	10	300	10-300	%
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	6 Years	11 Years	Abnormality - Critical	10		<10	%
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	11 Years	16 Years	Reference Range	59	112	59-112	%
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	11 Years	16 Years	Valid Checking	10	300	10-300	%
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	11 Years	16 Years	Abnormality - Critical	10		<10	%
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	16 Years	150 Years	Reference Range	90	183	90-183	%
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	16 Years	150 Years	Valid Checking	10	300	10-300	%
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN C ACTIVITY LEVEL**	ProtC	~	16 Years	150 Years	Abnormality - Critical	10		<10	%
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	0	1 Months	Reference Range	33	67	33-67	
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	0	1 Months	Valid Checking	10	260	10-260	
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	0	1 Months	Abnormality - Critical	10		<10	
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	1 Months	1 Years	Reference Range	29	62	29-62	
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	1 Months	1 Years	Valid Checking	10	260	10-260	
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	1 Months	1 Years	Abnormality - Critical	10		<10	
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	1 Years	6 Years	Reference Range	67	136	67-136	
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	1 Years	6 Years	Valid Checking	10	260	10-260	
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	1 Years	6 Years	Abnormality - Critical	10		<10	
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	6 Years	11 Years	Reference Range	64	154	64-154	
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	6 Years	11 Years	Valid Checking	10	260	10-260	
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	6 Years	11 Years	Abnormality - Critical	10		<10	
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	11 Years	16 Years	Reference Range	65	140	65-140	
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	11 Years	16 Years	Valid Checking	10	260	10-260	
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	11 Years	16 Years	Abnormality - Critical	10		<10	
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	16 Years	150 Years	Reference Range	64	149	64-149	
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	16 Years	150 Years	Valid Checking	10	260	10-260	
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**PROTEIN S ACTIVITY LEVEL**	ProtS	~	16 Years	150 Years	Abnormality - Critical	10		<10	
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**ANTITHROMBIN III ACTIVITY ASSAY**	ATIII	~	0	1 Months	Reference Range	60	89	60-89	%
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**ANTITHROMBIN III ACTIVITY ASSAY**	ATIII	~	0	1 Months	Valid Checking	10	150	10-150	%
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**ANTITHROMBIN III ACTIVITY ASSAY**	ATIII	~	1 Months	1 Years	Reference Range	72	134	72-134	%
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**ANTITHROMBIN III ACTIVITY ASSAY**	ATIII	~	1 Months	1 Years	Valid Checking	10	150	10-150	%
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**ANTITHROMBIN III ACTIVITY ASSAY**	ATIII	~	1 Years	6 Years	Reference Range	101	131	101-131	%
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**ANTITHROMBIN III ACTIVITY ASSAY**	ATIII	~	1 Years	6 Years	Valid Checking	10	150	10-150	%
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**ANTITHROMBIN III ACTIVITY ASSAY**	ATIII	~	6 Years	11 Years	Reference Range	95	134	95-134	%
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**ANTITHROMBIN III ACTIVITY ASSAY**	ATIII	~	6 Years	11 Years	Valid Checking	10	150	10-150	%
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**ANTITHROMBIN III ACTIVITY ASSAY**	ATIII	~	11 Years	16 Years	Reference Range	96	126	96-126	%
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**ANTITHROMBIN III ACTIVITY ASSAY**	ATIII	~	11 Years	16 Years	Valid Checking	10	150	10-150	%
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**ANTITHROMBIN III ACTIVITY ASSAY**	ATIII	~	16 Years	150 Years	Reference Range	83	128	83-128	%
THROMBOSIS SCREEN (PROTEIN C,PROTEIN S,ANTITHROMBIN III [LAB311]	**ANTITHROMBIN III ACTIVITY ASSAY**	ATIII	~	16 Years	150 Years	Valid Checking	10	150	10-150	%
VON WILLEBRAND EVALUATION PROFILE [LAB1112]	**FACTOR VIII ASSAY**	FactorVIII	~	0	1 Months	Reference Range	83.0	274.0	83.0-274.0	%
VON WILLEBRAND EVALUATION PROFILE [LAB1112]	**FACTOR VIII ASSAY**	FactorVIII	~	0	1 Months	Valid Checking	0.3	600.0	0.3-600.0	%
VON WILLEBRAND EVALUATION PROFILE [LAB1112]	**FACTOR VIII ASSAY**	FactorVIII	~	1 Months	1 Years	Reference Range	54.0	145.0	54.0-145.0	%
VON WILLEBRAND EVALUATION PROFILE [LAB1112]	**FACTOR VIII ASSAY**	FactorVIII	~	1 Months	1 Years	Valid Checking	0.3	600.0	0.3-600.0	%
VON WILLEBRAND EVALUATION PROFILE [LAB1112]	**FACTOR VIII ASSAY**	FactorVIII	~	1 Years	6 Years	Reference Range	36.0	185.0	36.0-185.0	%
VON WILLEBRAND EVALUATION PROFILE [LAB1112]	**FACTOR VIII ASSAY**	FactorVIII	~	1 Years	6 Years	Valid Checking	0.3	600.0	0.3-600.0	%
VON WILLEBRAND EVALUATION PROFILE [LAB1112]	**FACTOR VIII ASSAY**	FactorVIII	~	6 Years	11 Years	Reference Range	52.0	182.0	52.0-182.0	%
VON WILLEBRAND EVALUATION PROFILE [LAB1112]	**FACTOR VIII ASSAY**	FactorVIII	~	6 Years	11 Years	Valid Checking	0.3	600.0	0.3-600.0	%
VON WILLEBRAND EVALUATION PROFILE [LAB1112]	**FACTOR VIII ASSAY**	FactorVIII	~	11 Years	16 Years	Reference Range	59.0	200.0	59.0-200.0	%
VON WILLEBRAND EVALUATION PROFILE [LAB1112]	**FACTOR VIII ASSAY**	FactorVIII	~	11 Years	16 Years	Valid Checking	0.3	600.0	0.3-600.0	%
VON WILLEBRAND EVALUATION PROFILE [LAB1112]	**FACTOR VIII ASSAY**	FactorVIII	~	16 Years	150 Years	Reference Range	50.0	185.0	50.0-185.0	%
VON WILLEBRAND EVALUATION PROFILE [LAB1112]	**FACTOR VIII ASSAY**	FactorVIII	~	16 Years	150 Years	Valid Checking	0.3	600.0	0.3-600.0	%
VON WILLEBRAND EVALUATION PROFILE [LAB1112]	**RISTOCETIN COFACTOR**	Risto	~	~ ~	~ ~	Reference Range	46	196	46-196	%
VON WILLEBRAND EVALUATION PROFILE [LAB1112]	**RISTOCETIN COFACTOR**	Risto	~	~ ~	~ ~	Valid Checking	10	600	10-600	%
VON WILLEBRAND EVALUATION PROFILE [LAB1112]	**VON WILLEBRAND FACTOR ANTIGEN**	VWFAG	~	~ ~	~ ~	Reference Range	53	270	53-270	%
VON WILLEBRAND EVALUATION PROFILE [LAB1112]	**VON WILLEBRAND FACTOR ANTIGEN**	VWFAG	~	~ ~	~ ~	Valid Checking	8	1000	8-1000	%
VON WILLEBRAND FACTOR ANTIGEN [LAB757]	**VON WILLEBRAND FACTOR ANTIGEN**	VWFAG	~	~ ~	~ ~	Reference Range	53	270	53-270	%
VON WILLEBRAND FACTOR ANTIGEN [LAB757]	**VON WILLEBRAND FACTOR ANTIGEN**	VWFAG	~	~ ~	~ ~	Valid Checking	8	1000	8-1000	%